

# Value Beyond Imaging





**Exclusive Distributor in Singapore:**  
**AJJ HEALTHCARE MANAGEMENT PTE LTD**

**Sales Contact Address:** 8 Temasek Boulevard, #23-02 Suntec Tower 3 Singapore 038988  
**TEL:** +(65) 6235 5091 **EMAIL:** sales\_enquiry@ohldg.com




**Manufacturer: CHISON Medical Technologies Co., Ltd.**

**Services Contact Address:** No.9, Xinhuihuan Road, Xinwu District, Wuxi, Jiangsu, China 214028  
**TEL:** 0086-510-85310937 **FAX:** 0086-510-85310726 **EMAIL:** export@chison.com.cn

We reserve the right to make changes to this catalogue without prior notice  
Please contact our local dealer for the latest information.

PC-20191017



# SonoBook 9 VET™

Fast • Precise • Cutting-edge



- Artistic design with durable and tiny body
- Up to 2 hours of continuous use in active mode
- Up to 1 week battery life in standby mode
- Light weight only 12 lbs
- 15" LED high resolution monitor, 120° rotatable
- Wider range of the transducers cover every species and every application
- Auto-ambient adjustment tailor to indoor & outdoor uses
- Advanced technologies: FHI, X-contrast, Q-beam, Q-flow, Q-image
- Intelligent data management: DVI-I, DICOM, VIDEO, WIFI, USB3.0, etc
- Comprehensive cardiac measurement packages
- Dedicated trolley with triple probe connectors, adapter space, printer socket



5.3MHz Phased array P5-V



6.0MHz Micro-Convex MC6-V



10.0MHz Linear L12-V



7.5MHz Linear L7-V



8.0MHz Linear L8M5-V



8.0MHz Linear L8M-V



7.5MHz Linear Rectal L7V-V



3.0MHz Micro-Convex MC3-V



3.0MHz Convex C3-V



2.5MHz Phased array P2-V



7.5MHz Transrectal R7-V



9.5MHz Linear L10I-V



Auto-ambient adjustment



WiFi



Green



SSD Instant







## SonoBook 6™ VET

Advanced capabilities within laptop design



- 15" HD LED monitor with 120° rotatable
- Compact and robust laptop design with 5.5kg for challenging VET environment and easy mobility
- 2hrs battery life in active mode for outdoor VET scanning
- Productive features for VET applications: B/BC, trapezoidal imaging, triplex, elastography, CW, TDI, etc
- Dedicated trolley with small footprint: anti-theft lock, accessory basket, printer socket, pneumatic height adjustment, sonotriple connector, ergonomic hand rest
- Broad range selection of professional VET transducers: micro-convex, high frequency linear, linear rectal, convex, phased array and transrectal
- Intuitive workflow for efficient VET examination



# SonoBook 8™ VET

Fast • Precise • Cutting-edge

- Artistic design with durable and tiny body
- Up to 2 hours of continuous use in active mode
- Up to 1 week battery life in standby mode
- Light weight only 12 lbs
- 15" LED high resolution monitor, 120°rotatable
- Auto-ambient adjustment tailor to indoor & outdoor uses  
Advanced technologies: FHI, X-contrast, Q-beam, Q-flow,
- Q-image  
Intelligent data management: DVI-I, DICOM, VIDEO,
- WIFI, USB3.0, etc  
Comprehensive cardiac measurement packages
- Dedicated trolley with triple probe connectors, adapter space, printer socket





## QBit 9 VET

### A smart investment



- 19" High Resolution LED Display
- Breakthrough new technologies: FHI, X-contrast, Q-flow, Q-beam, Q-image
- Advanced Cardiac Package
- Hassle-Free maintenance (Hero Kit)
- Built-in battery 80min (option)
- Streamlined workflow (6-one-key step)
- Everyday efficiency
- Walk-up usability, ergonomics and mobility
- Excellent features: Stress ECO and elastography



6.0MHz Micro-Convex  
D6C15L



6.0MHz Phased array  
D6P64L



12.0MHz Linear  
D12L40L



7.5MHz Linear  
D7L40L



7.5MHz Linear Rectal  
D7L60L



7.5MHz Linear Rectal  
D7L40L-REC



3.0MHz Micro-Convex  
D3C20L



5.0MHz Micro-Convex  
D5C20L



3.5MHz Convex  
D3C60L



2.5MHz Phased array  
D3P64L

## QBit 7 VET

### Powerful as you hope



- 19" High Resolution LED Display
- Breakthrough new technologies: FHI, X-contrast, Q-flow, Q-beam, Q-image
- Advanced Cardiac Package
- Hassle-Free maintenance (Hero Kit)
- Built-in battery 80min (option)
- Streamlined workflow (6-one-key step)
- Everyday efficiency
- Walk-up usability, ergonomics and mobility



## QBit 5 VET

### Smart • Slim • Strong



- 15" LED Monitor (-90°-90°rotatable)
- Built-in battery (optional ), excellent for VET condition
- Full screen display mode
- Triplex mode for easy diagnose
- Compact design, adapt to tiny clinics space
- Covering all examination needs in your diagnose
- Advanced technologies: Q-Beam, Q-flow
- Cardiac function optional: CW, TDI, Color M



## QBit 3 VET

### Smart • Slim • Strong



- 15" LED Monitor (-90°-90°rotatable)
- Built-in battery (optional ), excellent for VET condition
- Full screen display mode
- Triplex mode for easy diagnose
- Compact design, adapt to tiny clinics space
- Covering all examination needs in your diagnose
- Advanced technologies: Q-Beam, Q-flow





# CBit 9 VET

Everything you need



- 21.5' widescreen and 10.1' customized touch screen, dual display
- Built-in battery life up to 90min and SSD with 512GB capacity
- Abundant ports: 6 USB, 4 probe, ECG, Remote, WIFI, DIOCM
- Professional in radiology, cardiology, reproduction and ABD
- Breakthrough function: Auto EF, SonoContrast, SononNeedle, Color panoramic
- Powerful measurement packages for small and large animal
- Completed probes: Bi-plane trans-recta, 4D Volume TV ect.

# CBit 8 VET

Excellent performance in all applications

- 19' High Resolution LED monitor, 10.1' customized touch screen
- Floating control panel and flexible monitor
- Abundant ports: 6 USB, 4 probe, ECG, Remote, WIFI, DIOCM
- Excellent image performance with FHI, Q-image, X-contrast, Q-flow, Q-beam
- Professional cardiac and reproduction functions
- Powerful measurement packages for small and large animal
- Advanced probes: Single Crystal , TEE, Pencil, Volume TV ect.



# CBit 6 VET

## Experts within touch



- 19" LED monitor, 10.1" customized touch screen, dual display
- Internal battery, video printer socket and gel warmer
- Abundant ports: 6 USB, 4 probe, ECG, DICOM
- Efficiency helper: intelligent focus and doppler, raw data,
- Excellent image performance with FHI, Q-image, X-contrast, Q-flow, Q-beam
- Customized and streamlined workflow with less press
- Complete probe and preset for all animals with variety sizes



Linear D12L40L



Micro-Convex D6C15L



Phased array D6P64L



Linear Rectal D7L50L



# EBit 60 VET

## All the power you need



- Lightweight (7.5Kg / 16.5lbs)
- Wide-viewing angle 15" LED (0-30° tilted)
- Removable battery, 120 minutes in active mode
- Dual transducer ports
- Probe holders
- Ports: USB, LAN, VGA, DVI, Video, Remote
- Ergonomic trolley (accessory box, printer socket & probe holders, optional: theft-proof lock)
- Short-cut key function
- Advanced Cardiac Package
- Innovative technologies: FHI, Q-image, X-contrast, Q-flow, Q-beam



6.0MHz Micro-Convex MCS-E



6.0MHz Phased array P6-E



12.0MHz Linear L12-E



7.5MHz Linear L7-E



7.5MHz Linear Rectal L7V-E



7.5MHz Linear Rectal L7R-E



3.0MHz Micro-Convex MCS-E



5.0MHz Micro-Convex MCS-E



3.5MHz Convex C3-E



2.5MHz Phased array P3-E

# EBit 50 VET

Compact • Easy • State-of-the-art



- Wide-viewing angle 15" LED (0°-30° tilted)
- Removable battery, 120 minutes in active mode
- Dual transducer ports
- Lightweight (7.5Kg / 16.5lbs)
- Ports: USB, LAN, VGA, DVI, Video, Remote
- Ergonomic trolley (accessory box, printer socket & 2 probe holders, optional: theft-proof lock)
- Short-cut key function
- Innovative technologies: FHI, Q-image, X-contrast, Q-flow, Q-beam



# EBit 30 VET

Cost-effective, General purpose



- Lightweight (7.5kg/16.5lbs)
- Wide-viewing angle 15" LED (0~30°tilted)
- Dedicated VET packages: both small and large animal application
- Full packaged preset, body mark, calculation for VET
- Innovative technologies: FHI, Q-image, X-contrast, Q-flow, Q-beam







## ECO 6 VET

More advanced, more powerful



- Complete solutions for different species
- Mode: B, C, M, PW, CW, CPA, DPD
- PW Doppler with auto-trace
- Ultra-Light 6.5kg
- 2 Probe Connectors
- Wide viewing angle (0°-180°), from left to right
- Built-in battery: > 2hours
- 12 inch rotatable LED monitor (0°-30°)
- Full screen display mode
- Comprehensive features: TDI, Triplex, super needle, B steer, B/BC



6.0MHz Micro-Convex  
MC5-A



7.5MHz Linear  
L7M-A



7.5MHz Linear Rectal  
L7V-A



7.5MHz Linear Rectal  
R7-A



9.0MHz Linear  
L7S-A



3.0MHz Micro-Convex  
MC3-A



5.0MHz Micro-Convex  
MC5V-A



3.5MHz Convex  
C3-A



2.5MHz Phased array  
P3-A

## ECO 5 VET

Ultra-portable, ultra-affordable, color doppler



- Ultra-portable color ultrasound system
- Mode: B, C, M, PW
- PW Doppler with auto-trace
- Ultra-Light 6.5kg
- 2 Probe Connectors
- Wide viewing angle (0°-180°), from left to right
- Built-in battery
- 12" rotatable LED monitor (0°-30°)
- Full screen display mode

## ECO 3 EXPERT VET

Black & white with doppler, stunningly good



- 30° rotatable LED screen: better resolution
- Advanced image technologies
- Long battery life: > 2 hours
- Great image quality: Support B, 2B, 4B, B/M, M, PW
- Professional accessories: Carrying case (BG-100)
- PC printer (HP 6230 & HP Pro M252n)
- Better solution with cart TR 9000, Anti-water keyboard cover
- User-friendly and modern design
- Streamlined workflow (6-one-key step)
- Chroma



6.0MHz Micro-Convex  
MC5-A



7.5MHz Linear  
L7M-A



7.5MHz Linear Rectal  
L7V-A



7.5MHz Linear Rectal  
R7-A



9.0MHz Linear  
L7S-A



3.0MHz Micro-Convex  
MC3-A



5.0MHz Micro-Convex  
MC5V-A



3.5MHz Convex  
C3-A

## ECO 2 VET

Powerful and affordable B&W system



- Ultra-light, Only 6kg
- Advanced image technologies
- Better solution for accessories: Carry case (BG-100) & Cart TR 9000
- Mode: B, M, PW
- PW Doppler with auto-trace
- 12 inch LED display
- Full screen display mode
- 8G Memory Card



## SonoTouch 30 VET

The future for veterinary ultrasound



- 10.4" LED touch screen
- Simple: everything is at your finger-tips
- Compact: travel in your handbag
- Powerful: B, M, CFM, PW
- Built-in lithium battery (up to 2.5hrs, Car Charger is available)
- Professional probes for Veterinary
- Waterproof: easy to clean the screen
- Designed in USA




## ECO 1 VET

Premium design, surprising price



- Ultra-light, Only 6kg
- Advanced image technologies
- 8G memory card
- High resolution LED monitor 30 degree rotatable
- Full screen display mode
- Better solution for accessories: Carrying case (BG-100) & Cart TR 9000
- PC printer (HP 6230 & HP Pro M252n)
- Anti-water keyboard cover
- Chroma



6.0MHz Micro-Convex  
MC6



7.5MHz Linear  
L7M



9.0 MHz Linear  
L7S



7.5MHz Linear Rectal  
L7V



3.5MHz Convex  
C3



5.0MHz Micro-Convex  
MC5V